

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	95	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
27B: Terril-----	100	Very limited Low strength Frost action	1.00 0.50	Somewhat limited Depth to saturated zone	0.16	Not limited	
29: Clarion-----	60	Somewhat limited Frost action	0.50	Not limited		Not limited	
Nicollet-----	35	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone	0.73	Not limited	
41B: Sparta-----	95	Not limited		Very limited cutbanks cave	0.90	Somewhat limited Droughty	0.06
41C: Sparta-----	90	Not limited		Very limited cutbanks cave	0.90	Somewhat limited Droughty	0.06
55: Nicollet-----	95	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone	0.73	Not limited	
62C3: Storden-----	90	Somewhat limited Frost action	0.50	Not limited		Not limited	
62D3: Storden-----	95	Somewhat limited Slope Frost action	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
62E3: Storden-----	95	Very limited Slope Frost action	1.00 0.50	Very limited Slope	1.00	Very limited Slope	1.00
73C: Salida-----	100	Not limited		Very limited cutbanks cave	0.90	Very limited Droughty	1.00
73E: Salida-----	100	Very limited Slope	0.96	Very limited Slope cutbanks cave	0.96 0.90	Very limited Droughty Slope	1.00 0.96
83: Kenyon-----	85	Somewhat limited Frost action Low strength	0.50 0.22	Not limited		Not limited	
83B: Kenyon-----	90	Somewhat limited Frost action Low strength	0.50 0.22	Not limited		Not limited	
83C2: Kenyon-----	90	Somewhat limited Frost action Low strength	0.50 0.22	Not limited		Not limited	
84: Clyde-----	85	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
95: Harps-----	95	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
107: Webster-----	95	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
135: Coland-----	85	Very limited Depth to saturated zone Frost action Flooding Low strength Shrink-swell	1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone cutbanks cave Flooding	1.00 0.90 0.60	Very limited Depth to saturated zone Flooding	1.00 0.60
138: Clarion-----	100	Somewhat limited Frost action	0.50	Not limited		Not limited	
138B: Clarion-----	90	Somewhat limited Frost action	0.50	Not limited		Not limited	
138C: Clarion-----	95	Somewhat limited Frost action	0.50	Not limited		Not limited	
138C2: Clarion-----	85	Somewhat limited Frost action	0.50	Not limited		Not limited	
138D2: Clarion-----	85	Somewhat limited Slope Frost action	0.63 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
151: Marshan-----	95	Very limited Depth to saturated zone Frost action	1.00 1.00	Very limited Depth to saturated zone cutbanks cave	1.00 0.90	Very limited Depth to saturated zone	1.00

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
152: Marshan-----	100	Very limited Depth to saturated zone Frost action	1.00 1.00	Very limited Depth to saturated zone cutbanks cave	1.00 0.90	Very limited Depth to saturated zone	1.00
153: Shandep-----	90	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Depth to saturated zone cutbanks cave	1.00 0.90	Very limited Depth to saturated zone	1.00
169B: Clarion-----	100	Somewhat limited Frost action	0.50	Not limited		Not limited	
171: Bassett-----	90	Somewhat limited Frost action Low strength	0.50 0.22	Somewhat limited Depth to saturated zone	0.16	Not limited	
171B: Bassett-----	90	Somewhat limited Frost action Low strength	0.50 0.22	Somewhat limited Depth to saturated zone	0.16	Not limited	
171C2: Bassett-----	90	Somewhat limited Frost action Low strength	0.50 0.22	Somewhat limited Depth to saturated zone	0.16	Not limited	
171D2: Bassett-----	100	Somewhat limited Slope Frost action Low strength	0.63 0.50 0.22	Somewhat limited Slope Depth to saturated zone	0.63 0.16	Somewhat limited Slope	0.63

FIELD OFFICE TECHNICAL GUIDE Sec. II
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
171F: Basset-----	100	Very limited Slope Frost action Low strength	1.00 0.50 0.22	Very limited Slope Depth to saturated zone	1.00 0.16	Very limited Slope	1.00
173: Hoopeston-----	100	Very limited Frost action Depth to saturated zone	1.00 0.19	Very limited Depth to saturated zone cutbanks cave	1.00 0.90	Somewhat limited Depth to saturated zone	0.19
174: Bolan-----	85	Somewhat limited Frost action	0.50	Very limited cutbanks cave	0.90	Not limited	
174B: Bolan-----	85	Somewhat limited Frost action	0.50	Very limited cutbanks cave	0.90	Not limited	
175: Dickinson-----	90	Somewhat limited Frost action	0.50	Very limited cutbanks cave	0.90	Not limited	
175B: Dickinson-----	90	Somewhat limited Frost action	0.50	Very limited cutbanks cave	0.90	Not limited	
177: Saude-----	95	Not limited		Very limited cutbanks cave	0.90	Not limited	
177B: Saude-----	90	Not limited		Very limited cutbanks cave	0.90	Not limited	
177C: Saude-----	90	Not limited		Very limited cutbanks cave	0.90	Not limited	
177C2: Saude-----	90	Not limited		Very limited cutbanks cave	0.90	Not limited	

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
178: Waukee-----	100	Not limited		Very limited cutbanks cave	0.90	Not limited	
178B: Waukee-----	100	Not limited		Very limited cutbanks cave	0.90	Not limited	
184: Klinger-----	95	Very limited Frost action	1.00	Very limited Depth to saturated zone	0.95	Not limited	
		Low strength	1.00				
		Shrink-swell	0.50				
188: Kensett-----	95	Very limited Frost action	1.00	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to bedrock	0.26
		Low strength	1.00	Depth to saturated zone	0.95		
		Shrink-swell	0.50	cutbanks cave	0.90		
		Depth to hard bedrock	0.26				
198B: Floyd-----	95	Very limited Frost action	1.00	Very limited Depth to saturated zone	0.95	Not limited	
		Shrink-swell	0.50				
201B: Coland-----	65	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Frost action	1.00	cutbanks cave	0.90	Flooding	0.60
		Flooding	1.00	Flooding	0.60		
		Low strength	1.00				
		Shrink-swell	0.50				
Terril-----	35	Very limited Low strength	1.00	Somewhat limited Depth to saturated zone	0.16	Not limited	
		Frost action	0.50				

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
213: Rockton-----	100	Somewhat limited Shrink-swell	0.50	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to bedrock	0.46
		Frost action	0.50	Too clayey	0.28		
		Depth to hard bedrock	0.46				
		Low strength	0.22				
213B: Rockton-----	95	Somewhat limited Shrink-swell	0.50	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to bedrock	0.46
		Frost action	0.50	Too clayey	0.28		
		Depth to hard bedrock	0.46				
		Low strength	0.22				
214: Rockton-----	100	Somewhat limited Shrink-swell	0.50	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to bedrock	0.46
		Frost action	0.50	Too clayey	0.28		
		Depth to hard bedrock	0.46				
		Low strength	0.22				
214B: Rockton-----	95	Somewhat limited Shrink-swell	0.50	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to bedrock	0.46
		Frost action	0.50	Too clayey	0.28		
		Depth to hard bedrock	0.46				
		Low strength	0.22				
214C: Rockton-----	90	Somewhat limited Shrink-swell	0.50	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to bedrock	0.46
		Frost action	0.50	Too clayey	0.28		
		Depth to hard bedrock	0.46				
		Low strength	0.22				

FIELD OFFICE TECHNICAL GUIDE Sec. II
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
216B: Ripon-----	100	Very limited Frost action	1.00	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to bedrock	0.46
		Low strength	1.00				
		Shrink-swell	0.50				
		Depth to hard bedrock	0.46				
217: Ripon-----	100	Very limited Frost action	1.00	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to bedrock	0.46
		Low strength	1.00				
		Shrink-swell	0.50				
		Depth to hard bedrock	0.46				
217B: Ripon-----	100	Very limited Frost action	1.00	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to bedrock	0.46
		Low strength	1.00				
		Shrink-swell	0.50				
		Depth to hard bedrock	0.46				
221: Palms-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Subsidence	1.00	Content of organic matter	1.00	Content of organic matter	1.00
		Frost action	1.00				
221B: Palms-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Subsidence	1.00	Content of organic matter	1.00	Content of organic matter	1.00
		Frost action	1.00				

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
225: Lawler-----	95	Very limited Frost action	1.00	Very limited Depth to saturated zone cutbanks cave	0.95 0.90	Not limited	
226: Lawler-----	95	Very limited Frost action	1.00	Very limited Depth to saturated zone cutbanks cave	0.95 0.90	Not limited	
236B: Lester-----	85	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Not limited		Not limited	
236C: Lester-----	90	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Not limited		Not limited	
236C2: Lester-----	85	Very limited Low strength Shrink-swell Frost action	1.00 0.50 0.50	Not limited		Not limited	
236D2: Lester-----	85	Very limited Low strength Slope Shrink-swell Frost action	1.00 0.63 0.50 0.50	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
236E2: Lester-----	90	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope	1.00	Very limited Slope	1.00

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
236F: Lester-----	90	Very limited Slope Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Slope	1.00	Very limited Slope	1.00
274: Rolfe-----	95	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
284: Flagler-----	95	Not limited		Very limited cutbanks cave	0.90	Somewhat limited Droughty	0.22
284B: Flagler-----	95	Not limited		Very limited cutbanks cave	0.90	Somewhat limited Droughty	0.22
284C: Flagler-----	95	Not limited		Very limited cutbanks cave	0.90	Somewhat limited Droughty	0.22
325: Le Sueur-----	95	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Very limited Depth to saturated zone	0.95	Not limited	
329: Webster-----	60	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Nicollet-----	35	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone	0.73	Not limited	

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
335: Harcot-----	95	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Depth to saturated zone cutbanks cave	1.00 0.90	Very limited Depth to saturated zone	1.00
354: Aquolls-----	45	Very limited Not Rated (miscellaneous unit) Depth to saturated zone Low strength	1.00 1.00 1.00	Very limited Depth to saturated zone Not Rated (miscellaneous unit)	1.00 1.00	Very limited Depth to saturated zone Not Rated (miscellaneous unit)	1.00 1.00
Histosols-----	40	Very limited Not Rated (miscellaneous unit) Depth to saturated zone Slope Low strength	1.00 1.00 1.00 1.00	Very limited Slope Depth to saturated zone Not Rated (miscellaneous unit)	1.00 1.00 1.00	Very limited Slope Depth to saturated zone Not Rated (miscellaneous unit)	1.00 1.00 1.00
377: Dinsdale-----	100	Very limited Frost action Low strength	1.00 0.22	Somewhat limited Depth to saturated zone	0.16	Not limited	
377B: Dinsdale-----	100	Very limited Frost action Low strength	1.00 0.22	Somewhat limited Depth to saturated zone	0.16	Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
382: Maxfield-----	100	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
391B: Clyde-----	50	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Floyd-----	50	Very limited Frost action Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	0.95	Not limited	
398: Tripoli-----	100	Very limited Depth to saturated zone Frost action Low strength	1.00 1.00 0.22	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
399: Readlyn-----	95	Very limited Frost action	1.00	Very limited Depth to saturated zone	0.95	Not limited	
407B: Schley-----	95	Very limited Frost action Depth to saturated zone	1.00 0.19	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.19

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
412C: Sogn-----	100	Very limited Depth to hard bedrock Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Depth to hard bedrock	1.00	Very limited Depth to bedrock Droughty Content of large stones	1.00 1.00 0.01
412E: Sogn-----	100	Very limited Depth to hard bedrock Low strength Slope Shrink-swell Frost action	1.00 1.00 0.96 0.50 0.50	Very limited Depth to hard bedrock Slope	1.00 0.96	Very limited Depth to bedrock Droughty Slope Content of large stones	1.00 1.00 0.96 0.01
444: Jacwin-----	95	Very limited Frost action	1.00	Very limited Depth to saturated zone Too clayey	0.95 0.72	Not limited	
457: Du Page-----	100	Very limited Flooding Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Somewhat limited Flooding Depth to saturated zone	0.60 0.15	Somewhat limited Flooding	0.60
471: Oran-----	95	Very limited Frost action Low strength	1.00 0.22	Very limited Depth to saturated zone	0.95	Not limited	
507: Canisteo-----	95	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
536: Hanlon-----	90	Very limited Flooding Frost action	1.00 0.50	Very limited cutbanks cave Depth to saturated zone Flooding	0.90 0.61 0.60	Somewhat limited Flooding	0.60
551: Calamine-----	95	Very limited Depth to saturated zone Low strength Shrink-swell Frost action	1.00 1.00 0.50 0.50	Very limited Depth to saturated zone Too clayey	1.00 0.03	Very limited Depth to saturated zone	1.00
558: Talcot-----	100	Very limited Depth to saturated zone Frost action	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
559: Talcot-----	100	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
583: Minnetonka-----	90	Very limited Depth to saturated zone Frost action Low strength Shrink-swell	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Too clayey	1.00 0.28	Very limited Depth to saturated zone	1.00
611: Rossfield Variant---	90	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Very limited Depth to saturated zone Too clayey	0.95 0.12	Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
612B: Mottland-----	90	Not limited		Not limited		Somewhat limited Content of large stones	0.01
612C2: Mottland-----	90	Not limited		Not limited		Somewhat limited Content of large stones	0.01
612E2: Mottland-----	90	Very limited Slope	0.96	Very limited Slope	0.96	Very limited Slope Content of large stones	0.96 0.01
612G2: Mottland-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Content of large stones	1.00 0.01
613: Rossfield-----	95	Somewhat limited Frost action Low strength	0.50 0.22	Somewhat limited Depth to dense layer	0.50	Not limited	
613B: Rossfield-----	90	Somewhat limited Frost action Low strength	0.50 0.22	Somewhat limited Depth to dense layer	0.50	Not limited	
613C: Rossfield-----	90	Somewhat limited Frost action Low strength	0.50 0.22	Somewhat limited Depth to dense layer	0.50	Not limited	
614B: Jacwin Variant-----	100	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Too clayey Depth to saturated zone	0.50 0.16	Not limited	

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
614C3: Jacwin Variant-----	90	Very limited Frost action Low strength Shrink-swell	 1.00 1.00 0.50	Somewhat limited Too clayey Depth to saturated zone	 0.50 0.16 	Not limited	
621: Houghton-----	100	Very limited Depth to saturated zone Subsidence Frost action	 1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter	 1.00 1.00 	Very limited Depth to saturated zone Content of organic matter	 1.00 1.00
638C2: Clarion-----	50	Somewhat limited Frost action	 0.50	Not limited		Not limited	
Storden-----	40	Somewhat limited Frost action	 0.50	Not limited		Not limited	
638D2: Clarion-----	50	Somewhat limited Slope Frost action	 0.63 0.50	Somewhat limited Slope	 0.63	Somewhat limited Slope	 0.63
Storden-----	40	Somewhat limited Slope Frost action	 0.63 0.50	Somewhat limited Slope	 0.63	Somewhat limited Slope	 0.63
651: Faxon-----	95	Very limited Depth to saturated zone Frost action Flooding Low strength Shrink-swell	 1.00 1.00 1.00 1.00 0.50	Very limited Depth to hard bedrock Depth to saturated zone Flooding	 1.00 1.00 0.60 	Very limited Depth to saturated zone Flooding Depth to bedrock Content of large stones	 1.00 0.60 0.46 0.01

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
695: Tilfer-----	100	Very limited Depth to saturated zone Frost action Flooding Shrink-swell Depth to hard bedrock	1.00 1.00 1.00 0.50 0.46	Very limited Depth to hard bedrock Depth to saturated zone Flooding	1.00 1.00 0.60	Very limited Depth to saturated zone Flooding Depth to bedrock	1.00 0.60 0.46
706: Cerlin-----	95	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Very limited Depth to saturated zone Too clayey	1.00 0.36	Not limited	
706B: Cerlin-----	95	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Very limited Depth to saturated zone Too clayey	1.00 0.36	Not limited	
725: Hayfield-----	95	Very limited Frost action Low strength	1.00 0.22	Very limited cutbanks cave Depth to saturated zone	0.90 0.73	Not limited	
733: Calco-----	100	Very limited Depth to saturated zone Frost action Flooding Low strength Shrink-swell	1.00 1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.60	Very limited Depth to saturated zone Flooding	1.00 0.60
755: Nicollet-----	95	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone	0.73	Not limited	

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
777: Wapsie-----	95	Not limited		Very limited cutbanks cave	0.90	Not limited	
777B: Wapsie-----	90	Not limited		Very limited cutbanks cave	0.90	Not limited	
777C2: Wapsie-----	90	Not limited		Very limited cutbanks cave	0.90	Not limited	
782: Donnan-----	95	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Not limited	
		Low strength	1.00	Too clayey	0.36		
		Shrink-swell	0.50				
782B: Donnan-----	95	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Not limited	
		Low strength	1.00	Too clayey	0.36		
		Shrink-swell	0.50				
782C2: Donnan-----	95	Very limited Frost action	1.00	Very limited Depth to saturated zone	1.00	Not limited	
		Low strength	1.00	Too clayey	0.36		
		Shrink-swell	0.50				
836B: Kilkenny-----	90	Very limited Low strength	1.00	Not limited		Not limited	
		Shrink-swell	0.50				
		Frost action	0.50				
836C2: Kilkenny-----	90	Very limited Low strength	1.00	Not limited		Not limited	
		Shrink-swell	0.50				
		Frost action	0.50				

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
855: Shorewood-----	95	Very limited Frost action	1.00	Somewhat limited Depth to saturated zone	0.61	Not limited	
		Low strength	1.00				
		Shrink-swell	1.00				
936: Coland-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Frost action	1.00	cutbanks cave	0.90	Flooding	0.60
		Flooding	1.00	Flooding	0.60		
		Low strength	1.00				
		Shrink-swell	0.50				
Hanlon-----	20	Very limited Flooding	1.00	Very limited cutbanks cave	0.90	Very limited Flooding	1.00
		Frost action	0.50	Flooding	0.80		
				Depth to saturated zone	0.61		
956: Harps-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Frost action	1.00				
		Low strength	1.00				
		Shrink-swell	0.50				
Okoboji-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Frost action	1.00				
		Low strength	1.00				
		Shrink-swell	1.00				
976: Raddle-----	100	Very limited Frost action	1.00	Not limited		Not limited	
		Low strength	0.78				

FIELD OFFICE TECHNICAL GUIDE Sec. II
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

Cerro Gordo County, Iowa

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1936: Coland-----	50	Very limited Depth to saturated zone Frost action Flooding Low strength Shrink-swell	1.00 1.00 1.00 1.00 0.50	Very limited Depth to saturated zone cutbanks cave Flooding	1.00 0.90 0.80	Very limited Flooding Depth to saturated zone	1.00 1.00
Hanlon-----	20	Very limited Flooding Frost action	1.00 0.50	Very limited cutbanks cave Flooding Depth to saturated zone	0.90 0.80 0.61	Very limited Flooding	1.00
5010: Pits, Sand And Gravel-----	100	Not rated		Not rated		Not rated	
5030: Pits, Limestone Quarry-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	
5060: Pits, Clay-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	